

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20050005080"	US-PGPUB	ADJ	ON	2005/07/15 11:37
S2	5508	reference (flag or semaphore or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 11:47
S3	2060	711/133 or 711/159	US-PGPUB; USPAT	ADJ	ON	2005/07/15 11:41
S4	25	S2 and S3	US-PGPUB; USPAT	ADJ	ON	2005/07/29 14:30
S5	3	re-reference (flag or semaphore or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/01 16:06
S6	642	(flag or semaphore or bit or indicator) same (pag\$3) same (replacement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/01 09:50
S7	39	S6 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 11:49
S10	70	(second or redundant or remark or re-mark or re-reference) near4 (flag or semaphore or bit or indicator) same (pag\$3) same (replace\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 12:30
S12	9421	(flag or semaphore or bit or indicator) same (page or block or line) with (replace\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 12:31
S14	5110	(flag or semaphore or bit or indicator) with (page or block or line) with (replace\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 12:31

S15	138	S3 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 12:32
S16	46865	ibm.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 12:49
S17	55507	(international business machines). as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 12:50
S19	102318	S16 or S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 12:50
S20	2223	history (flag or semaphore or bit or indicator) or access history or request history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/29 14:32
S25	1	"20020120821"	US-PGPUB	ADJ	ON	2005/07/15 12:59
S26	1	"20020120808"	US-PGPUB	ADJ	ON	2005/07/15 13:01
S27	2	("5193172" or "5394539").pn.	USPAT	ADJ	ON	2005/08/01 11:47
S29	141	S19 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 13:46
S30	66	replace\$4 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/15 14:15
S37	4680	page near3 (replac\$5 or swap\$4 or substitut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/29 14:31

S38	3761	history near3 (flag or semaphore or bit or indicator) or access history or request history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/29 14:34
S43	34045	history near3 (flag or semaphore or bit or indicator) or access history or request history or (reference near3 (flag or semaphore or bit or indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/29 14:34
S44	280	S37 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/29 14:35
S45	109	second reference (flag or semaphore or bit or indicator) or second history (flag or semaphore or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/01 13:47
S48	1	S45 and (711/133 or 711/134 or 711/159 or 711/144 or 711/145)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/29 14:37
S49	4	old reference (flag or semaphore or bit or indicator) or old history (flag or semaphore or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/29 14:41
S50	6603	access (flag or semaphore or bit or indicator) or use (flag or semaphore or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/01 09:55
S52	547	bragdon.xp,xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/01 09:51

S54	33	S50 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/01 09:52
S55	2615	access (flag or semaphore or bit or indicator) or use (flag or semaphore or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/08/01 10:22
S56	22	S54 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/08/01 09:56
S57	3575	711/133 or 711/134 or 711/159 or 711/144 or 711/160 or 711/136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/08/01 10:23
S58	45	S57 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/08/01 10:23
S59	36	S58 not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/08/01 10:23
S60	1	"6049850".pn.	USPAT	ADJ	ON	2005/08/01 11:50
S62	742	712/239 or 712/240	US-PGPUB; USPAT	ADJ	ON	2005/08/01 11:50
S63	82	branch near2 history near2 buffer	US-PGPUB; USPAT	ADJ	ON	2005/08/01 11:50
S64	23	S62 and S63	US-PGPUB; USPAT	ADJ	ON	2005/08/01 11:51
S65	24	second use (flag or semaphore or bit or indicator) or second access (flag or semaphore or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/01 13:54

S68	8	current use (flag or semaphore or bit or indicator) or current access (flag or semaphore or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/01 15:23
S70	2	"5778432".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/01 16:08
S72	3590	711/133 or 711/134 or 711/144 or 711/159 or 711/160 or 711/136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:49
S73	2236	history (flag or semaphore or bit or indicator) or access history or request history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 11:16
S74	5541	reference (flag or semaphore or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:21
S75	7755	S74 or S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 09:01
S76	98	S72 and S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 09:02
S77	28356	(page or block or chunk or segment) near2 (replac\$5 or swap\$4 or substitut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 11:09

S78	27	S76 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 09:36
S80	19718	used (bit or flag or indicator or semaphore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 09:38
S81	549	bragdon.xp,xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 09:38
S82	35	S80 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 10:56
S83	10	"5778432"	USPAT	ADJ	ON	2005/08/02 09:56
S84	1	"5778432".pn.	USPAT	ADJ	ON	2005/08/02 09:56
S86	1	"5890213".pn.	USPAT	ADJ	ON	2005/08/02 10:45
S87	12	S82 and lexar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:45
S88	63	(page or block or chunk or segment) near2 (replac\$5 or swap\$4 or substitut\$3) and (history counter or reference counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 11:10
S89	11	(page or block or chunk or segment) near2 (replac\$5 or swap\$4 or substitut\$3) same (history counter or reference counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 11:10
S91	485	old (flag or semaphore or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 11:19
			US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			

S92	1	S72 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 11:17
S93	7202	current (flag or semaphore or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 11:19
S94	13	S72 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 11:19
S95	254	chace.xp,xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:47
S96	26272	"711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:47
S97	253	S95 and S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:47
S98	151	S97 and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:47
S99	3	S98 and ((access) (bit or semaphore or indicator or flag) or history (bit or semaphore or indicator or flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:48

S10 0	4662	711/133 or 711/134 or 711/144 or 711/159 or 711/160 or 711/136 or 711/156 or 711/135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:55
S10 2	508	(victim near2 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:55
S10 3	216	S100 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:55
S10 4	16806	access (bit or semaphore or flag or indicator) or history (bit or semaphore or flag or indicator) or current (bit or semaphore or flag or indicator) or old (bit or semaphore or flag or indicator) or reference (bit or semaphore or flag or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:56
S10 5	2	S103 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 12:56
S10 6	952	arimilli.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 15:46
S10 7	197	mesi and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 15:46
S11 0	301	victim cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 15:50

S11 1	28356	(page or block or chunk or segment) near2 (replac\$5 or swap\$4 or substitut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 15:51
S11 3	60	S110 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 15:52
S11 4	4662	711/133 or 711/134 or 711/144 or 711/159 or 711/160 or 711/136 or 711/156 or 711/135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 09:16
S11 5	26	S113 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 08:41
S11 6	55	S106 and S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/02 16:01
S11 8	301	victim cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 08:47
S11 9	48485	(page or block or chunk or segment or line) near2 (replac\$5 or swap\$4 or substitut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 08:42
S12 0	16806	access (bit or flag or semaphore or indicator) or history (bit or flag or semaphore or indicator) or reference (bit or flag or semaphore or indicator) or old (bit or flag or semaphore or indicator) or current (bit or flag or semaphore or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 08:43

S12 1	1	S118 and S119 and S120	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 08:44
S12 2	3	S118 and S120	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 08:44
S12 3	508	victim near2 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 08:47
S12 4	18	S120 and S123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 08:47
S12 5	15	S124 not S122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 08:51
S12 6	9	hrt-mesi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 08:52
S12 9	8	09/024,319	US-PGPUB; USPAT	ADJ	ON	2005/08/03 08:53
S13 0	61	cache with (age or aged or aging) with (bit or flag or semaphore or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 09:15
S13 1	4662	711/133 or 711/134 or 711/144 or 711/159 or 711/160 or 711/136 or 711/156 or 711/135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 09:16

S13 2	22	S130 and S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/03 09:16
----------	----	---------------	---	-----	----	------------------

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text" value="AND"/>	<input type="text"/>	in All Fields



OPTION 2

Enter keywords, phrases, or a Boolean expression

cache and (age or aging or aged) <near/3>
(bit* or flag* or semaphore* or indicator*)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedin
- ☒ IEE Conference Proceeding:
- ☒ IEEE Standards

» Other Resources (Available for Pur

- ☒ IEEE Books

» Select date range

- ☐ Search latest content update (01
- ☒ From year to

» Display Format

- ☒ Citation
- ☐ Citation & Abstr

» Organize results

- Maximum
- Display results per pa
- Sort by
- In order

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE –

Indexed by
 Inspec



OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
AND	<input type="text"/>	in All Fields
AND	<input type="text"/>	in All Fields

OPTION 2 ^{#3}

Enter keywords, phrases, or a Boolean expression

(age or aging or aged) <near/3> (bit* or
flag* or semaphore* or indicator*)

» Note: You may use the search operators <and> or <or>
without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEEE Periodicals
- ☒ IEEE Conference Proceedin
- ☒ IEEE Conference Proceeding:
- ☒ IEEE Standards

» Other Resources (Available for Pur

- ☒ IEEE Books

» Select date range

- ☐ Search latest content update (01
- ☒ From year
- to

» Display Format

- ☒ Citation
- ☐ Citation & Abstr

» Organize results

Maximum Display results per paSort by In order

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields		
<input type="text" value="AND"/>	<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields	

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

(use or access or history or reference)
<near/4> (bit* or flag* or semaphore* or
indicator*) and ((page or block or chunk
or segment) <paragraph> (replac* or swap*
or substitut*))

» Note: You may use the search operators <and> or <or>
without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedin
- ☒ IEE Conference Proceeding
- ☒ IEEE Standards

» Other Resources (Available for Pur

- ☒ IEEE Books

» Select date range

☐ Search latest content update (01

☒ From year
to

» Display Format

☒ Citation ☐ Citation & Abstr

» Organize results

Maximum Display results per paSort by In order[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -

Indexed by
 Inspec



Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
<input checked="" type="checkbox"/> AND <input type="text"/>	in All Fields	
<input checked="" type="checkbox"/> AND <input type="text"/>	in All Fields	



OPTION 2

Enter keywords, phrases, or a Boolean expression

(old or current) <near/4> (bit* or flag*
or semaphore* or indicator*) and ((page or
block or chunk or segment) <paragraph>
(replac* or swap* or substitut*))

» Note: You may use the search operators <and> or <or>
without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedin
- ☒ IEE Conference Proceeding:
- ☒ IEEE Standards

» Other Resources (Available for Pur

- ☒ IEEE Books

» Select date range

- ☐ Search latest content update (01
- ☒ From year to

» Display Format

- ☒ Citation
- ☐ Citation & Abstr

» Organize results

- Maximum
- Display results per pa
- Sort by
- In order

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE –

Indexed by
 Inspec



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Wed, 3 Aug 2005, 10:22:51 AM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- [#1](#) ((cache and (age or aging or aged) <near/3> (bit* or flag* or semaphore* o...
- [#2](#) ((cache and (age or aging or aged) <near/3> (bit* or flag* or semaphore* o...
- [#3](#) (((age or aging or aged) <near/3> (bit* or flag* or semaphore* or indicato...
- [#4](#) (((use or access or history or reference) <near/4> (bit* or flag* or sema...
- [#5](#) (((old or current) <near/4> (bit* or flag* or semaphore* or indicator*) an...

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -



NPL Search.txt

age bit* or aging bit* or aged bit* ... 0

age flag* or aging flag* or aged flag* ... 0

age indicator* or aging indicator* or aged indicator* ... 0

age semaphore* or aging semaphore* or aged semaphore* ... 0

(cache <near/3> history) or (cache <near/3> age) ... 11,142

ACM Search 8/3/05

A handwritten signature in black ink, consisting of a large, stylized 'A' followed by a cursive 'C' and a small flourish.